

【浪江町】

仮置場名:m547d006 酒田

仮置場所在地:浪江町大字酒田字南2丁目5~16


1. 点検結果

	7/2	7/7	7/15	7/17	7/21	7/28	適用
通常巡視	△	△	△	-	△	△	
緊急点検	-	-	-	△	-	-	7/17豪雨時による点検

備考 全ての点検項目に異常がない場合:「○」、一つでも要注意項目がある場合:「△」、早期に改善を要する場合:「×」




2. 空間線量率 単位: $\mu\text{Sv/h}$

	7/2	7/7	7/15	7/21	7/28
①	0.32	0.33	0.36	0.31	0.38
②	0.34	0.36	0.37	0.33	0.36
③	0.72	0.83	0.82	0.74	0.76
④	0.61	0.63	0.65	0.56	0.60
⑤内	0.52	0.53	0.51	0.51	0.51
⑥外	0.46	0.44	0.46	0.46	0.47



3. 除去物内部温度 単位: $^{\circ}\text{C}$

	7/2	7/7	7/15	7/21	7/28	
A1	①	37.6	37.9	38.1	39.2	40.3
	②	45.9	45.9	47.3	48.3	49.2
	③	41.8	41.7	43.6	44.5	45.7
	④	35.1	34.1	36.4	36.8	38.4
A2	①	45.0	44.8	46.3	46.7	47.9
	②	35.0	35.1	35.4	35.9	36.6
A3	①	40.9	39.2	40.3	42.0	41.3
	②	43.5	42.8	43.3	44.0	44.5
	③	42.3	42.2	42.9	43.3	44.0
	④	45.4	44.2	45.1	46.3	46.0
外気	27.7	23.2	29.4	32.9	30.3	
A4	①	43.3	44.4	46.2	45.6	47.3
	②	42.8	43.2	43.5	43.3	44.5
	③	39.7	39.5	41.2	41.0	41.7
	④	37.6	37.7	38.6	39.5	40.3
	⑤	41.2	41.4	42.6	43.3	44.6
A5	①	39.9	39.6	40.9	41.8	43.5
	②	42.0	41.5	42.3	42.6	43.4
	③	38.9	39.5	41.0	43.7	45.0
	④	38.9	39.1	41.6	43.7	45.2
	⑤	39.8	39.9	40.4	42.3	42.7
A7	①	39.9	40.0	40.9	41.3	40.8
	②	41.1	42.3	44.3	45.4	47.0
	③	46.4	46.3	47.3	47.5	48.0
	④	31.9	32.6	33.6	34.3	34.9
	⑤	34.7	33.5	36.4	40.4	41.4



4. 除去物一酸化炭素(CO)濃度 単位: ppm

	7/2	7/7	7/15	7/21	7/28
可燃	-	-	-	-	-

備考: 上部シートに登れないため確認できず

[メタン濃度] 単位: %

地点	7/2	7/7	7/15	7/21	7/28
可燃	-	-	-	-	-

5. 地下水(塩ビ孔口からの水位) 単位: m

	7/2	7/7	7/15	7/21	7/28
地下水①	2.34	2.38	2.42	1.98	2.24
地下水②	1.43	1.44	1.46	1.08	1.18

6. 浸出水













[水深] 単位:cm













	孔底	7/2	7/7	7/15	7/21	7/28
A1	208	52	58	68	81	103
A2	204	90	154	126	66	68
A3	209	29	29	29	76	151
A4	213	155	101	158	165	163
A5-1	209	113	112	87	116	96
A5-2	212	15	15	15	18	19
A6	205	90	144	40	67	100
A7-1	212	147	81	63	153	154
A7-2	207	6	7	7	12	12
A8	208	120	76	144	32	62
A9-1	207	100	155	26	44	60
A9-2	207	45	57	80	116	153
A10	207	142	140	50	84	142
A11-1	207	102	155	32	40	49
A11-2	207	12	12	12	13	13
B1-1	210	107	49	99	142	87
B1-2	205	63	64	64	89	90
B2-1	206	129	106	87	130	126
B2-2	211	89	89	89	121	60
B3-1	208	144	139	131	138	137
B3-2	200	17	18	19	18	18
B4-1	209	149	75	155	156	155
B4-2	212	22	21	20	21	21
B5-1	213	77	97	154	44	75
B5-2	207	29	39	55	72	91
B6-1	210	143	70	150	147	143
B6-2	209	52	52	62	63	63
B7-1	210	115	45	90	51	99
B7-2	205	41	40	39	41	40






[汲み出し量] 単位:m³

	7/2,7/3	7/7,7/8,7/9	7/15,7/17	7/21,7/23	7/28,7/29,7/30
A1	-	-	-	-	1.1
A2	-	2.2	2.2	1.9	-
A3	-	-	-	-	2.2
A4	3.0	-	2.2	3.3	2.2
A5-1	-	1.1	-	1.1	1.1
A5-2	-	-	-	-	-
A6	-	2.0	-	-	2.0
A7-1	2.2	1.8	-	2.2	2.2,2.6
A7-2	-	-	-	-	-
A8	1.1	-	2.2	-	-
A9-1	-	2.1	-	-	-
A9-2	-	-	-	-	2.2
A10	1.1	2.1	-	-	2.2
A11-1	-	2.2	-	-	-
A11-2	-	-	-	-	-
B1-1	2.0	-	-	1.1	-
B1-2	-	-	-	-	1.1
B2-1	2.2	1.9	-	2.2	2.2
B2-2	-	-	-	1.1	-
B3-1	2.2	3.1	2.2	2.2	2.2
B3-2	-	-	-	-	-
B4-1	2.5	-	2.2	3.3	2.2
B4-2	-	-	-	-	-
B5-1	-	-	2.2	-	-
B5-2	-	-	-	-	1.8
B6-1	2.2	-	2.2	2.5	2.2
B6-2	-	-	-	-	-
B7-1	1.9	-	1.7	-	1.9
B7-2	-	-	-	-	-

備考: 7/2はA4及びB1-1,B2-1,B3-1,B4-1,B6-1,B7-1の汲み出しを実施し、その他は7/3に実施
 7/7はA2及びA6,B2-1,B3-1の汲み出しを実施し、7/8はA9-1,A10,A11-1の汲み出しを実施し、その他は7/9に実施
 7/15はB3-1及びB4-1,B5-1,B6-1,B7-1の汲み出しを実施し、その他は7/17に実施
 7/21はB2-1及びB2-2,B3-1,B4-1,B6-1の汲み出しを実施し、その他は7/23に実施
 7/28はB1-2及びB2-1,B3-1,B4-1,B5-2,B6-1,B7-1の汲み出しを実施し、7/29はA1及びA3,A4,A7-1,A9-2,A10の汲み出しを実施し、その他は7/30に実施









7. 放射性物質分析結果

	セシウム-134(Bq/L)		セシウム-137(Bq/L)		濃度 割合	採取 月日	測定 月日	排水 月日	排水量 m ³
	測定値	検出下限値	測定値	検出下限値					
地下水①	ND	1	ND	1	0.028	7/7	7/9	-	-
地下水②	ND	1	ND	1	0.028	7/7	7/9	-	-
浸出水A1	ND	1	ND	1	0.028	7/29	7/31	次回	1.1
浸出水A2	ND	1	ND	1	0.028	7/7	7/9	7/15	2.2
浸出水A2	ND	1	ND	1	0.028	7/17	7/21	7/23	2.2
浸出水A2	ND	1	ND	1	0.028	7/23	7/27	7/28	1.9
浸出水A3	ND	1	ND	1	0.028	7/29	7/31	次回	2.2
浸出水A4	ND	1	ND	1	0.028	7/2	7/6	7/7	3.0
浸出水A4	ND	1	ND	1	0.028	7/17	7/21	7/23	2.2
浸出水A4	ND	1	ND	1	0.028	7/23	7/27	7/28	3.3
浸出水A4	ND	1	ND	1	0.028	7/29	7/31	次回	2.2
浸出水A5-1	ND	1	ND	1	0.028	7/9	7/13	7/15	1.1
浸出水A5-1	ND	1	ND	1	0.028	7/23	7/27	7/28	1.1
浸出水A5-1	ND	1	ND	1	0.028	7/30	8/3	次回	1.1
浸出水A5-2	ND	1	ND	1	0.028	7/30	8/3	-	-
浸出水A6	ND	1	ND	1	0.028	7/7	7/9	7/15	2.0
浸出水A6	ND	1	ND	1	0.028	7/30	8/3	次回	2.0
浸出水A7-1	ND	1	ND	1	0.028	7/3	7/7	7/9	2.2
浸出水A7-1	ND	1	ND	1	0.028	7/9	7/13	7/15	1.8
浸出水A7-1	ND	1	ND	1	0.028	7/23	7/27	7/28	2.2
浸出水A7-1	ND	1	ND	1	0.028	7/29	7/31	次回	2.2
浸出水A7-2	ND	1	ND	1	0.028	7/30	8/3	-	-
浸出水A8	ND	1	ND	1	0.028	7/3	7/7	7/7	1.1
浸出水A8	ND	1	ND	1	0.028	7/17	7/21	7/23	2.2
浸出水A9-1	ND	1	ND	1	0.028	7/8	7/10	7/15	2.1
浸出水A9-2	ND	1	ND	1	0.028	7/29	7/31	次回	2.2
浸出水A10	ND	1	ND	1	0.028	7/3	7/7	7/8	1.1
浸出水A10	ND	1	ND	1	0.028	7/8	7/10	7/15	2.1
浸出水A10	ND	1	ND	1	0.028	7/29	7/31	次回	2.2
浸出水A11-1	ND	1	ND	1	0.028	7/8	7/10	7/15	2.2
浸出水A11-2	ND	1	ND	1	0.028	7/30	8/3	-	-
浸出水B1-1	ND	1	ND	1	0.028	7/2	7/6	7/7	2.0
浸出水B1-1	ND	1	ND	1	0.028	7/23	7/27	7/28	1.1
浸出水B1-2	ND	1	ND	1	0.028	7/28	7/30	次回	1.1
浸出水B2-1	ND	1	ND	1	0.028	7/2	7/6	7/7	2.2
浸出水B2-1	ND	1	ND	1	0.028	7/7	7/10	7/15	1.9
浸出水B2-1	ND	1	ND	1	0.028	7/21	7/23	7/28	2.2
浸出水B2-1	ND	1	ND	1	0.028	7/28	7/30	次回	2.2
浸出水B2-2	ND	1	ND	1	0.028	7/21	7/23	7/28	1.1
浸出水B3-1	ND	1	ND	1	0.028	7/2	7/6	7/7	2.2
浸出水B3-1	ND	1	ND	1	0.028	7/7	7/10	7/15	3.1
浸出水B3-1	ND	1	ND	1	0.028	7/15	7/17	7/21	2.2
浸出水B3-1	ND	1	ND	1	0.028	7/21	7/23	7/28	2.2
浸出水B3-1	ND	1	ND	1	0.028	7/28	7/30	次回	2.2
浸出水B3-2	ND	1	ND	1	0.028	7/30	8/3	-	-
浸出水B4-1	ND	1	ND	1	0.028	7/2	7/7	7/7	2.5
浸出水B4-1	ND	1	ND	1	0.028	7/15	7/17	7/21	2.2
浸出水B4-1	ND	1	ND	1	0.028	7/21	7/23	7/28	3.3
浸出水B4-1	ND	1	ND	1	0.028	7/28	7/30	次回	2.2
浸出水B4-2	ND	1	ND	1	0.028	7/30	8/3	-	-
浸出水B5-1	ND	1	ND	1	0.028	7/15	7/17	7/21	2.2
浸出水B5-2	ND	1	ND	1	0.028	7/28	7/30	次回	1.8
浸出水B6-1	ND	1	ND	1	0.028	7/2	7/7	7/7	2.2
浸出水B6-1	ND	1	ND	1	0.028	7/15	7/17	7/21	2.2
浸出水B6-1	ND	1	ND	1	0.028	7/21	7/23	7/28	2.5
浸出水B6-1	ND	1	ND	1	0.028	7/28	7/30	次回	2.2
浸出水B6-2	ND	1	ND	1	0.028	7/30	8/3	-	-
浸出水B7-1	ND	1	ND	1	0.028	7/2	7/7	7/7	1.9
浸出水B7-1	ND	1	ND	1	0.028	7/15	7/17	7/21	1.7
浸出水B7-1	ND	1	ND	1	0.028	7/28	7/30	次回	1.9
浸出水B7-2	ND	1	ND	1	0.028	7/30	8/3	-	-



凡例	
○~○	: 空間線量率
△~△	: 温度
A1~B7	: 浸出水
◇, ◇	: 地下水



凡例	
○~○	: 空間線量率
△~△	: 温度
A1~B7	: 浸出水
◇, ◇	: 地下水