

仮置場名:m547d008 高瀬

仮置場所在地:浪江町大字高瀬字八反原6-1外


1. 点検結果

	7/3	7/11	7/13	7/17	7/25	7/31	適用
通常巡視	△	△	△	-	△	△	
緊急点検	-	-	-	△	-	-	7/17豪雨時による点検

備考 全ての点検項目に異常がない場合:「○」、一つでも要注意項目がある場合:「△」、早期に改善を要する場合:「×」






2. 空間線量率 単位: $\mu\text{Sv/h}$

	7/3	7/11	7/13	7/25	7/31
①外	0.14	0.14	0.15	0.14	0.14
②内	0.14	0.14	0.14	0.14	0.13
③	0.14	0.13	0.14	0.14	0.13
④	0.15	0.17	0.16	0.16	0.16
⑤	0.19	0.21	0.21	0.20	0.19
⑥	0.17	0.17	0.18	0.18	0.17



3. 除去物内部温度 単位: $^{\circ}\text{C}$

		7/3	7/11	7/13	7/25	7/31
A-1	1	45.9	43.8	44.2	46.8	46.1
	2	35.8	34.3	34.6	37.0	36.5
	3	47.9	48.2	48.3	49.3	49.6
	4	43.1	43.1	43.9	43.1	42.1
	5	48.2	45.8	46.1	47.8	44.3
	6	41.5	41.7	41.8	44.1	44.1
	7	36.3	35.4	36.0	37.4	38.1
A-2	1	37.9	40.5	41.4	41.1	43.6
	2	39.1	39.4	39.7	40.1	40.9
	3	44.9	45.4	45.7	45.8	47.1
	4	40.9	41.1	40.7	42.3	41.8
	5	34.7	36.2	37.0	37.1	39.9
	6	36.0	35.9	36.1	36.8	38.0
	7	26.5	27.0	28.3	29.7	32.0
A-3	1	41.3	42.2	42.9	44.2	46.8
	2	46.8	47.4	47.5	46.9	47.6
	3	31.7	32.6	34.2	35.8	38.0
	4	42.7	43.2	43.5	44.8	44.1
	5	39.8	39.7	39.9	40.3	39.8
	6	37.2	38.3	40.1	39.7	41.4
	7	37.0	37.7	38.0	38.5	39.7
	8	40.4	40.8	40.9	39.7	39.8
A-4	1	34.7	35.4	35.7	36.3	37.6
	2	36.9	36.9	37.2	37.9	39.1
	3	38.0	38.6	39.0	38.1	40.0
	4	41.9	42.4	42.7	42.8	43.5
	5	33.8	33.7	33.7	34.2	35.1
	6	27.9	28.1	28.7	29.7	31.1
	7	32.1	34.4	35.1	34.6	37.8
	8	39.1	39.0	39.4	40.3	41.2
B-6	1	33.4	32.7	33.1	35.2	36.4
	2	35.7	36.0	36.2	37.7	38.7
	3	36.4	37.1	37.5	37.6	40.0
	4	35.2	35.2	36.1	36.6	38.4
	5	34.4	33.6	34.0	35.5	37.0
	6	29.9	30.3	31.2	33.2	35.3
	7	29.0	29.1	29.3	31.2	34.7
外気	23.7	26.4	26.9	27.9	31.8	



4. 除去物一酸化炭素(CO)濃度 単位:ppm

	7/3	7/11	7/13	7/25	7/31
-	-	-	-	-	-
-	-	-	-	-	-

備考:上部シートに登れないため確認できず

[メタン濃度] 単位:%

地点	7/3	7/11	7/13	7/25	7/31
-	-	-	-	-	-
-	-	-	-	-	-

5. 地下水(塩ビ孔口からの水位) 単位:m

	7/3	7/11	7/13	7/25	7/31
地下水①	4.23	4.30	4.30	4.05	4.15

6. 浸出水













[水深] 単位:cm













	孔底	7/3	7/11	7/13	7/25	7/31
A-1-1	236	147	148	77	191	186
A-1-2	213	152	157	137	197	191
A-1-3	242	151	156	145	195	190
A-2-1	235	26	45	16	136	30
A-2-2	212	156	154	40	69	154
A-2-3	213	77	23	25	27	31
A-3-1	211	151	161	151	195	194
A-3-2	213	148	161	153	193	195
A-3-3	211	145	156	150	194	193
A-4-1	213	72	89	93	154	57
A-4-2	212	133	145	46	145	72
A-4-3	216	99	151	55	151	106
B-1-1	210	60	65	68	140	34
B-1-2	213	90	143	145	152	145
B-1-3	248	109	136	135	141	130
B-3-1	211	151	86	96	149	81
B-3-2	212	149	151	67	150	77
B-3-3	245	152	194	61	151	85
B-4-1	213	159	151	71	157	148
B-4-2	212	151	73	76	151	68
B-4-3	208	147	147	70	147	143
B-6-1	240	164	165	91	189	185
B-6-2	214	170	172	152	196	192
B-6-3	212	169	171	153	195	192

[汲み出し量] 単位:m³

	7/3,7/4	7/11	7/17	7/25	7/31
A-1-1	-	2.0	-	2.0	4.0
A-1-2	2.0	2.0	2.0	4.0	4.0
A-1-3	2.0	2.0	-	2.0	2.0
A-2-1	-	-	-	2.0	-
A-2-2	2.0	2.0	-	2.0	2.0
A-2-3	1.2	-	1.3	-	-
A-3-1	2.0	2.0	2.0	2.0	2.0
A-3-2	2.0	2.0	4.0	2.0	4.0
A-3-3	-	2.0	2.0	2.0	2.0
A-4-1	-	-	-	2.0	-
A-4-2	-	2.0	-	2.0	-
A-4-3	-	2.0	-	2.0	-
B-1-1	-	-	-	2.0	-
B-1-2	-	-	-	2.0	-
B-1-3	-	-	-	2.0	-
B-3-1	2.0	-	-	2.0	-
B-3-2	-	2.0	-	2.0	-
B-3-3	2.0	2.0	-	2.0	-
B-4-1	2.0	2.0	-	2.0	2.0
B-4-2	2.0	-	-	2.0	-
B-4-3	2.0	2.0	-	2.0	2.0
B-6-1	2.0	2.0	-	2.0	2.0
B-6-2	2.0	4.0	4.0	4.0	4.0
B-6-3	2.0	4.0	4.0	2.0	2.0

備考:7/3はB-3-3及びB-4-3の汲み出しを実施し、
その他は7/4に実施





7. 放射性物質分析結果

	セシウム-134(Bq/L)		セシウム-137(Bq/L)		濃度 割合	採取 月日	測定 月日	排水 月日	排水量 m ³
	測定値	検出下限値	測定値	検出下限値					
地下水①	ND	1	ND	1	0.028	7/11	7/15	-	-
A-1-1	ND	1	ND	1	0.028	7/11	7/15	7/17	2.0
A-1-1	ND	1	ND	1	0.028	7/25	7/29	7/31	2.0
A-1-1	ND	1	ND	1	0.028	7/31	8/4	次回	4.0
A-1-2	ND	1	ND	1	0.028	7/4	7/7	7/11	2.0
A-1-2	ND	1	ND	1	0.028	7/11	7/15	7/17	2.0
A-1-2	ND	1	ND	1	0.028	7/17	7/21	7/25	2.0
A-1-2	ND	1	ND	1	0.028	7/25	7/29	7/31	4.0
A-1-2	ND	1	ND	1	0.028	7/31	8/4	次回	4.0
A-1-3	ND	1	ND	1	0.028	7/4	7/8	7/11	2.0
A-1-3	ND	1	ND	1	0.028	7/11	7/15	7/17	2.0
A-1-3	ND	1	ND	1	0.028	7/25	7/29	7/31	2.0
A-1-3	ND	1	ND	1	0.028	7/31	8/4	次回	2.0
A-2-1	ND	1	ND	1	0.028	7/25	7/29	7/31	2.0
A-2-2	ND	1	ND	1	0.028	7/4	7/7	7/11	2.0
A-2-2	ND	1	ND	1	0.028	7/11	7/15	7/17	2.0
A-2-2	ND	1	ND	1	0.028	7/25	7/29	7/31	2.0
A-2-2	ND	1	ND	1	0.028	7/31	8/4	次回	2.0
A-2-3	ND	1	ND	1	0.028	7/4	7/7	7/11	1.2
A-2-3	ND	1	ND	1	0.028	7/17	7/21	7/25	1.3
A-3-1	ND	1	ND	1	0.028	7/4	7/8	7/11	2.0
A-3-1	ND	1	ND	1	0.028	7/11	7/15	7/17	2.0
A-3-1	ND	1	ND	1	0.028	7/17	7/21	7/25	2.0
A-3-1	ND	1	ND	1	0.028	7/25	7/29	7/31	2.0
A-3-1	ND	1	ND	1	0.028	7/31	8/4	次回	2.0
A-3-2	ND	1	ND	1	0.028	7/4	7/8	7/11	2.0
A-3-2	ND	1	ND	1	0.028	7/11	7/15	7/17	2.0
A-3-2	ND	1	ND	1	0.028	7/17	7/21	7/25	4.0
A-3-2	ND	1	ND	1	0.028	7/25	7/29	7/31	2.0
A-3-2	ND	1	ND	1	0.028	7/31	8/4	次回	4.0
A-3-3	ND	1	ND	1	0.028	7/11	7/15	7/17	2.0
A-3-3	ND	1	ND	1	0.028	7/17	7/21	7/25	2.0
A-3-3	ND	1	ND	1	0.028	7/25	7/30	7/31	2.0
A-3-3	ND	1	ND	1	0.028	7/31	8/4	次回	2.0
A-4-1	ND	1	ND	1	0.028	7/25	7/30	7/31	2.0
A-4-2	ND	1	ND	1	0.028	7/11	7/15	7/17	2.0
A-4-2	ND	1	ND	1	0.028	7/25	7/30	7/31	2.0
A-4-3	ND	1	ND	1	0.028	7/11	7/15	7/17	2.0
A-4-3	ND	1	ND	1	0.028	7/25	7/30	7/31	2.0
B-1-1	ND	1	ND	1	0.028	7/25	7/30	7/31	2.0
B-1-2	ND	1	ND	1	0.028	7/25	7/30	7/31	2.0
B-1-3	ND	1	ND	1	0.028	7/25	7/30	7/31	2.0
B-3-1	ND	1	ND	1	0.028	7/4	7/8	7/11	2.0
B-3-1	ND	1	ND	1	0.028	7/25	7/30	7/31	2.0
B-3-2	ND	1	ND	1	0.028	7/11	7/15	7/17	2.0
B-3-2	ND	1	ND	1	0.028	7/25	7/30	7/31	2.0
B-3-3	ND	1	ND	1	0.028	7/3	7/7	7/11	2.0
B-3-3	ND	1	ND	1	0.028	7/11	7/15	7/17	2.0
B-3-3	ND	1	ND	1	0.028	7/25	7/30	7/31	2.0
B-4-1	ND	1	ND	1	0.028	7/4	7/8	7/11	2.0
B-4-1	ND	1	ND	1	0.028	7/11	7/15	7/17	2.0
B-4-1	ND	1	ND	1	0.028	7/25	7/30	7/31	2.0
B-4-1	ND	1	ND	1	0.028	7/31	8/4	次回	2.0
B-4-2	ND	1	ND	1	0.028	7/4	7/8	7/11	2.0
B-4-2	ND	1	ND	1	0.028	7/25	7/30	7/31	2.0
B-4-3	ND	1	ND	1	0.028	7/3	7/7	7/11	2.0
B-4-3	ND	1	ND	1	0.028	7/11	7/15	7/17	2.0
B-4-3	ND	1	ND	1	0.028	7/25	7/30	7/31	2.0
B-4-3	ND	1	ND	1	0.028	7/31	8/4	次回	2.0

7. 放射性物質分析結果

	セシウム-134(Bq/L)		セシウム-137(Bq/L)		濃度割合	採取月日	測定月日	排水月日	排水量 m ³
	測定値	検出下限値	測定値	検出下限値					
B-6-1	ND	1	ND	1	0.028	7/4	7/8	7/11	2.0
B-6-1	ND	1	ND	1	0.028	7/11	7/15	7/17	2.0
B-6-1	ND	1	ND	1	0.028	7/25	7/30	7/31	2.0
B-6-1	ND	1	ND	1	0.028	7/31	8/4	次回	2.0
B-6-2	ND	1	ND	1	0.028	7/4	7/8	7/11	2.0
B-6-2	ND	1	ND	1	0.028	7/11	7/15	7/17	4.0
B-6-2	ND	1	ND	1	0.028	7/17	7/21	7/25	4.0
B-6-2	ND	1	ND	1	0.028	7/25	7/30	7/31	4.0
B-6-2	ND	1	ND	1	0.028	7/31	8/4	次回	4.0
B-6-3	ND	1	ND	1	0.028	7/4	7/8	7/11	2.0
B-6-3	ND	1	ND	1	0.028	7/11	7/15	7/17	4.0
B-6-3	ND	1	ND	1	0.028	7/17	7/22	7/25	4.0
B-6-3	ND	1	ND	1	0.028	7/25	7/30	7/31	2.0
B-6-3	ND	1	ND	1	0.028	7/31	8/4	次回	2.0

