

【浪江町】

仮置場名:m547d009 立野下 北  
 仮置場所在地:浪江町大字立野字一本杉10外


1. 点検結果

	7/3	7/10	7/13	7/17	7/24	7/30		適用
通常巡視	△	△	△	-	△	△		
緊急点検	-	-	-	△	-	-		7/17豪雨時による点検

備考 全ての点検項目に異常がない場合:「○」、一つでも要注意項目がある場合:「△」、早期に改善を要する場合:「×」



2. 空間線量率 単位:  $\mu\text{Sv/h}$

	7/3	7/10	7/13	7/24	7/30
①	0.38	0.39	0.38	0.34	0.35
②	0.88	0.91	0.91	0.97	0.76
③	0.31	0.32	0.34	0.32	0.27
④	0.65	0.67	0.69	0.67	0.62
⑤外	0.25	0.24	0.23	0.24	0.25
⑥内	0.22	0.22	0.22	0.21	0.22



3. 除去物内部温度 単位:  $^{\circ}\text{C}$

	7/3	7/10	7/13	7/24	7/30	
B-4	1	34.2	34.1	35.0	36.5	37.2
	2	30.8	30.2	30.3	31.2	32.7
	3	34.0	33.5	33.2	32.9	35.5
	4	33.8	33.5	33.1	33.1	35.3
	5	34.6	35.1	36.1	36.5	38.2
	6	32.6	32.9	33.7	35.3	36.0
	7	35.9	35.8	35.6	35.9	37.5
	8	31.4	31.3	31.3	32.5	33.6
	9	33.8	33.6	33.4	34.0	35.2
D-4	1	41.2	40.7	40.6	40.9	41.4
	2	33.0	33.8	36.0	37.1	38.8
	3	30.1	29.8	30.2	31.9	32.5
	4	27.4	28.3	28.9	29.7	31.5
	5	29.8	30.5	31.3	33.0	33.6
	6	34.7	34.2	34.6	36.1	37.1
	7	36.7	36.8	36.7	38.0	39.2
	8	36.6	37.0	37.1	37.4	38.4
	9	34.3	34.0	33.8	33.7	35.9
外気	22.0	26.4	27.1	32.1	25.3	



4. 除去物一酸化炭素(CO)濃度 単位: ppm

	7/3	7/10	7/13	7/24	7/30
-	-	-	-	-	-
-	-	-	-	-	-

備考: 上部シートに登れないため確認できず

[メタン濃度] 単位: %

地点	7/3	7/10	7/13	7/24	7/30
-	-	-	-	-	-
-	-	-	-	-	-

5. 地下水(塩ビ孔口からの水位) 単位: m

	7/3	7/10	7/13	7/24	7/30
地下水①	-	-	-	-	-

6. 浸出水













[水深] 単位:cm













	孔底	7/3	7/10	7/13	7/24	7/30
A-1-1	267	55	69	75	170	27
A-1-2	242	57	72	80	172	23
A-1-3	235	22	45	57	163	151
A-2-1	249	35	49	55	84	105
A-2-2	207	29	47	55	87	135
A-2-3	225	60	120	147	159	142
A-3-1	229	155	149	152	155	52
A-3-2	247	187	184	53	188	69
A-3-3	218	50	73	83	163	146
A-4-1	275	47	90	100	184	44
A-4-2	239	25	36	41	87	108
A-4-3	225	55	85	98	159	157
B-1-1	222	89	147	152	156	56
B-1-2	234	51	94	143	148	62
B-1-3	221	100	153	72	156	152
B-2-1	227	41	147	155	159	72
B-2-2	229	50	149	158	162	102
B-2-3	225	76	152	45	157	158
B-3-1	225	61	100	149	161	151
B-3-2	218	56	90	148	161	68
B-3-3	226	142	76	143	165	161
B-4-1	236	32	53	56	86	97
B-4-2	243	34	43	45	57	62
B-4-3	228	78	145	151	86	140
C-1-1	225	23	35	38	55	67
C-1-2	224	25	34	40	59	69
C-1-3	233	75	149	156	91	153
C-2-1	228	137	138	139	163	156
C-2-2	228	30	93	145	168	157
C-2-3	232	50	102	146	177	172
C-3-1	217	52	86	148	157	87
C-3-2	222	92	148	149	160	98
C-3-3	231	58	156	63	168	166
C-4-1	221	75	146	152	83	156
C-4-2	220	52	73	84	148	153
C-4-3	233	135	160	65	161	151
D-1-1	229	49	71	83	154	99
D-1-2	228	89	158	32	159	157
D-1-3	252	102	164	79	172	171
D-2-1	220	74	157	39	160	155
D-2-2	229	55	97	149	159	155
D-2-3	229	49	150	68	161	161
D-3-1	229	77	149	151	114	159
D-3-2	230	72	155	44	153	157
D-3-3	233	44	162	50	172	170
D-4-1	225	49	64	69	125	160
D-4-2	226	62	86	89	154	145
D-4-3	233	100	162	28	83	148













[汲み出し量] 単位:m<sup>3</sup>













	7/3	7/10	7/13	7/24	7/30,7/31
A-1-1	-	-	-	2.0	-
A-1-2	-	-	-	2.0	-
A-1-3	-	-	-	1.0	2.0
A-2-1	-	-	-	-	-
A-2-2	-	-	-	-	-
A-2-3	-	-	-	2.0	-
A-3-1	2.0	-	2.0	2.0	-
A-3-2	2.0	2.0	-	2.0	-
A-3-3	-	-	-	2.0	-
A-4-1	-	-	-	2.0	-
A-4-2	-	-	-	-	-
A-4-3	-	-	-	1.0	2.0
B-1-1	-	-	2.0	2.0	-
B-1-2	-	-	-	2.0	-
B-1-3	-	2.0	-	2.0	2.0
B-2-1	-	-	2.0	2.0	-
B-2-2	-	-	2.0	2.0	-
B-2-3	-	2.0	-	1.0	2.0
B-3-1	-	-	-	2.0	2.0
B-3-2	-	-	-	2.0	-
B-3-3	1.9	-	-	2.0	2.0
B-4-1	-	-	-	-	-
B-4-2	-	-	-	-	-
B-4-3	-	-	2.0	-	-
C-1-1	-	-	-	-	-
C-1-2	-	-	-	-	-
C-1-3	-	-	2.0	-	2.0
C-2-1	1.9	-	-	2.0	2.0
C-2-2	-	-	-	2.0	2.0
C-2-3	-	-	-	2.0	2.0
C-3-1	-	-	-	2.0	-
C-3-2	-	-	-	2.0	-
C-3-3	-	2.0	-	2.0	2.0
C-4-1	-	-	2.0	-	2.0
C-4-2	-	-	-	-	2.0
C-4-3	-	2.0	-	2.0	2.0
D-1-1	-	-	-	2.0	-
D-1-2	-	2.0	-	1.0	1.0
D-1-3	-	2.0	-	2.0	2.0
D-2-1	-	2.0	-	1.0	2.0
D-2-2	-	-	-	1.0	2.0
D-2-3	-	2.0	-	2.0	2.0
D-3-1	-	-	2.0	-	2.0
D-3-2	-	2.0	-	1.0	2.0
D-3-3	-	2.0	-	2.0	2.0
D-4-1	-	-	-	-	2.0
D-4-2	-	-	-	1.0	-
D-4-3	-	2.0	-	-	-

備考:7/30はA-1-3及びA-4-3,B-1-3,B-2-3,B-3-3,C-2-1  
C-2-2,C-4-1,,C-4-2,D-1-2,D-2-1,D-2-2,D-3-1,D-3-2,  
D-4-1の汲み出しを実施し、その他は7/31に実施









## 7. 放射性物質分析結果

	セシウム-134(Bq/L)		セシウム-137(Bq/L)		濃度 割合	採取 月日	測定 月日	排水 月日	排水量 m <sup>3</sup>
	測定値	検出下限値	測定値	検出下限値					
A-1-1	ND	1	ND	1	0.028	7/24	7/28	7/30	2.0
A-1-2	ND	1	ND	1	0.028	7/24	7/28	7/30	2.0
A-1-3	ND	1	ND	1	0.028	7/24	7/28	7/30	1.0
A-1-3	ND	1	ND	1	0.028	7/30	8/3	次回	2.0
A-2-1	ND	1	ND	1	0.028	7/30	8/3	-	-
A-2-2	ND	1	ND	1	0.028	7/30	8/3	-	-
A-2-3	ND	1	ND	1	0.028	7/24	7/28	7/30	2.0
A-3-1	ND	1	ND	1	0.028	7/3	7/7	7/10	2.0
A-3-1	ND	1	ND	1	0.028	7/13	7/16	7/24	2.0
A-3-1	ND	1	ND	1	0.028	7/24	7/28	7/30	2.0
A-3-2	ND	1	ND	1	0.028	7/3	7/7	7/10	2.0
A-3-2	ND	1	ND	1	0.028	7/10	7/13	7/13	2.0
A-3-2	ND	1	ND	1	0.028	7/24	7/28	7/30	2.0
A-3-3	ND	1	ND	1	0.028	7/24	7/28	7/30	2.0
A-4-1	ND	1	ND	1	0.028	7/24	7/28	7/30	2.0
A-4-3	ND	1	ND	1	0.028	7/24	7/28	7/30	1.0
A-4-3	ND	1	ND	1	0.028	7/30	8/3	次回	2.0
B-1-1	ND	1	ND	1	0.028	7/13	7/16	7/24	2.0
B-1-1	ND	1	ND	1	0.028	7/24	7/28	7/30	2.0
B-1-2	ND	1	ND	1	0.028	7/24	7/28	7/30	2.0
B-1-3	ND	1	ND	1	0.028	7/10	7/14	7/13	2.0
B-1-3	ND	1	ND	1	0.028	7/24	7/28	7/30	2.0
B-1-3	ND	1	ND	1	0.028	7/30	8/3	次回	2.0
B-2-1	ND	1	ND	1	0.028	7/13	7/16	7/24	2.0
B-2-1	ND	1	ND	1	0.028	7/24	7/28	7/30	2.0
B-2-2	ND	1	ND	1	0.028	7/13	7/16	7/24	2.0
B-2-2	ND	1	ND	1	0.028	7/24	7/28	7/30	2.0
B-2-3	ND	1	ND	1	0.028	7/10	7/14	7/13	2.0
B-2-3	ND	1	ND	1	0.028	7/24	7/28	7/30	1.0
B-2-3	ND	1	ND	1	0.028	7/30	8/3	次回	2.0
B-3-1	ND	1	ND	1	0.028	7/24	7/28	7/30	2.0
B-3-1	ND	1	ND	1	0.028	7/31	8/4	次回	2.0
B-3-2	ND	1	ND	1	0.028	7/24	7/28	7/30	2.0
B-3-3	ND	1	ND	1	0.028	7/3	7/7	7/10	1.9
B-3-3	ND	1	ND	1	0.028	7/24	7/28	7/30	2.0
B-3-3	ND	1	ND	1	0.028	7/30	8/3	次回	2.0
B-4-1	ND	1	ND	1	0.028	7/30	8/3	-	-
B-4-2	ND	1	ND	1	0.028	7/30	8/3	-	-
B-4-3	ND	1	ND	1	0.028	7/13	7/16	7/24	2.0
C-1-1	ND	1	ND	1	0.028	7/30	8/3	-	-
C-1-2	ND	1	ND	1	0.028	7/30	8/3	-	-
C-1-3	ND	1	ND	1	0.028	7/13	7/16	7/24	2.0
C-1-3	ND	1	ND	1	0.028	7/31	8/4	次回	2.0
C-2-1	ND	1	ND	1	0.028	7/3	7/7	7/10	1.9
C-2-1	ND	1	ND	1	0.028	7/24	7/28	7/30	2.0
C-2-1	ND	1	ND	1	0.028	7/30	8/3	次回	2.0
C-2-2	ND	1	ND	1	0.028	7/24	7/28	7/30	2.0
C-2-2	ND	1	ND	1	0.028	7/30	8/3	-	-
C-2-3	ND	1	ND	1	0.028	7/24	7/28	7/30	2.0
C-2-3	ND	1	ND	1	0.028	7/31	8/4	次回	2.0
C-3-1	ND	1	ND	1	0.028	7/24	7/28	7/30	2.0
C-3-2	ND	1	ND	1	0.028	7/24	7/28	7/30	2.0
C-3-3	ND	1	ND	1	0.028	7/10	7/14	7/13	2.0
C-3-3	ND	1	ND	1	0.028	7/24	7/28	7/30	2.0
C-3-3	ND	1	ND	1	0.028	7/31	8/4	次回	2.0
C-4-1	ND	1	ND	1	0.028	7/13	7/16	7/24	2.0
C-4-1	ND	1	ND	1	0.028	7/30	8/3	次回	2.0
C-4-2	ND	1	ND	1	0.028	7/30	8/4	次回	2.0
C-4-3	ND	1	ND	1	0.028	7/10	7/14	7/13	2.0
C-4-3	ND	1	ND	1	0.028	7/24	7/29	7/30	2.0
C-4-3	ND	1	ND	1	0.028	7/31	8/4	次回	2.0

7. 放射性物質分析結果

	セシウム-134(Bq/L)		セシウム-137(Bq/L)		濃度割合	採取月日	測定月日	排水月日	排水量 m <sup>3</sup>
	測定値	検出下限値	測定値	検出下限値					
D-1-1	ND	1	ND	1	0.028	7/24	7/29	7/30	2.0
D-1-2	ND	1	ND	1	0.028	7/10	7/14	7/13	2.0
D-1-2	ND	1	ND	1	0.028	7/24	7/29	7/30	1.0
D-1-2	ND	1	ND	1	0.028	7/30	8/4	次回	1.0
D-1-3	ND	1	ND	1	0.028	7/10	7/14	7/13	2.0
D-1-3	ND	1	ND	1	0.028	7/24	7/29	7/30	2.0
D-1-3	ND	1	ND	1	0.028	7/31	8/4	次回	2.0
D-2-1	ND	1	ND	1	0.028	7/10	7/14	7/13	2.0
D-2-1	ND	1	ND	1	0.028	7/24	7/29	7/30	1.0
D-2-1	ND	1	ND	1	0.028	7/30	8/4	次回	2.0
D-2-2	ND	1	ND	1	0.028	7/24	7/29	7/30	1.0
D-2-2	ND	1	ND	1	0.028	7/30	8/4	次回	2.0
D-2-3	ND	1	ND	1	0.028	7/10	7/14	7/13	2.0
D-2-3	ND	1	ND	1	0.028	7/24	7/29	7/30	2.0
D-2-3	ND	1	ND	1	0.028	7/31	8/4	次回	2.0
D-3-1	ND	1	ND	1	0.028	7/13	7/16	7/24	2.0
D-3-1	ND	1	ND	1	0.028	7/30	8/4	次回	2.0
D-3-2	ND	1	ND	1	0.028	7/10	7/14	7/13	2.0
D-3-2	ND	1	ND	1	0.028	7/24	7/29	7/30	1.0
D-3-2	ND	1	ND	1	0.028	7/30	8/4	次回	2.0
D-3-3	ND	1	ND	1	0.028	7/10	7/14	7/13	2.0
D-3-3	ND	1	ND	1	0.028	7/24	7/29	7/30	2.0
D-3-3	ND	1	ND	1	0.028	7/31	8/4	次回	2.0
D-4-1	ND	1	ND	1	0.028	7/30	8/4	次回	2.0
D-4-2	ND	1	ND	1	0.028	7/24	7/29	7/30	1.0
D-4-3	ND	1	ND	1	0.028	7/10	7/15	7/13	2.0

