

仮置場名:m547d009 立野下 北

仮置場所在地:浪江町大字立野字一本杉10外


1. 点検結果

	9/3	9/7	9/10	9/11	9/11	9/17	9/18	9/22	9/28	適用
通常巡視	△	-	-	△	-	△	-	△	△	
緊急点検	-	○	○	-	○	-	○	-	-	9/7,10,11,18豪雨時による点検

備考 全ての点検項目に異常がない場合:「○」、一つでも要注意項目がある場合:「△」、早期に改善を要する場合:「×」



2. 空間線量率 単位: $\mu\text{Sv/h}$

	9/3	9/11	9/17	9/22	9/28
①	0.34	0.32	0.33	0.33	0.36
②	0.78	0.76	0.72	0.82	0.86
③	0.27	0.27	0.26	0.29	0.29
④	0.62	0.59	0.54	0.57	0.56
⑤外	0.21	0.21	0.23	0.22	0.21
⑥内	0.19	0.18	0.20	0.21	0.20



3. 除去物内部温度 単位: $^{\circ}\text{C}$

		9/3	9/11	9/17	9/22	9/28
B-4	1	34.7	33.8	33.7	33.5	33.4
	2	31.4	30.2	29.0	28.8	28.0
	3	35.3	34.3	34.2	34.0	33.7
	4	35.7	34.7	34.5	34.0	33.6
	5	35.3	34.2	34.4	34.7	34.1
	6	33.3	32.4	32.0	32.2	32.4
	7	37.6	36.7	36.3	36.1	35.8
	8	32.6	31.6	31.0	31.3	30.8
	9	35.4	34.4	34.0	34.0	33.8
D-4	1	41.9	41.1	40.8	40.7	40.3
	2	32.4	31.0	31.1	33.3	32.0
	3	30.9	30.3	29.8	29.8	29.8
	4	29.5	28.4	27.5	28.3	27.8
	5	31.8	31.1	31.1	31.8	31.2
	6	36.0	35.3	35.0	34.8	34.4
	7	37.7	36.9	36.7	36.6	36.5
	8	37.5	36.7	36.3	36.7	36.5
	9	36.2	35.2	34.9	34.4	34.0
外気	24.4	21.0	19.5	31.0	27.5	



4. 除去物一酸化炭素(CO)濃度 単位: ppm

	9/3	9/11	9/17	9/22	9/28
-	-	-	-	-	-
-	-	-	-	-	-

備考: 上部シートに登れないため確認できず

[メタン濃度] 単位: %

地点	9/3	9/11	9/17	9/22	9/28
-	-	-	-	-	-
-	-	-	-	-	-

5. 地下水(塩ビ孔口からの水位) 単位: m

	9/3	9/11	9/17	9/22	9/28
地下水①	-	-	-	-	-

6. 浸出水













[水深] 単位:cm













	孔底	9/3	9/11	9/17	9/22	9/28
A-1-1	267	37	60	67	77	105
A-1-2	242	172	35	37	52	57
A-1-3	235	160	55	150	27	60
A-2-1	249	175	24	41	42	54
A-2-2	207	72	82	97	130	17
A-2-3	225	151	75	112	146	45
A-3-1	229	157	156	84	154	77
A-3-2	247	190	190	67	187	184
A-3-3	218	168	165	158	38	53
A-4-1	275	97	180	41	50	65
A-4-2	239	70	78	89	94	104
A-4-3	225	144	157	67	81	150
B-1-1	222	159	150	50	104	149
B-1-2	234	151	77	42	140	39
B-1-3	221	106	152	70	90	146
B-2-1	227	160	164	152	134	65
B-2-2	229	163	168	99	151	148
B-2-3	225	167	171	165	162	153
B-3-1	225	151	54	75	90	145
B-3-2	218	59	83	108	140	33
B-3-3	226	86	150	61	75	144
B-4-1	236	59	73	100	141	16
B-4-2	243	117	131	128	121	43
B-4-3	228	80	152	93	142	63
C-1-1	225	35	40	47	39	55
C-1-2	224	46	53	59	56	64
C-1-3	233	160	70	103	154	45
C-2-1	228	170	194	188	185	176
C-2-2	228	176	199	192	190	181
C-2-3	232	185	209	202	201	191
C-3-1	217	147	147	29	24	47
C-3-2	222	150	150	47	59	82
C-3-3	231	148	168	164	157	96
C-4-1	221	148	156	61	64	88
C-4-2	220	69	91	146	19	35
C-4-3	233	141	161	73	102	153
D-1-1	229	79	113	154	24	42
D-1-2	228	158	64	83	93	120
D-1-3	252	102	165	104	161	57
D-2-1	220	89	155	45	53	90
D-2-2	229	153	68	94	124	31
D-2-3	229	151	163	47	72	149
D-3-1	229	161	154	56	71	97
D-3-2	230	163	156	37	46	75
D-3-3	233	171	168	88	163	50
D-4-1	225	157	53	85	115	155
D-4-2	226	152	76	153	56	106
D-4-3	233	165	170	168	168	169













[汲み出し量] 単位:m³













	9/3,9/4	9/11	9/17	9/22	9/28,9/29
A-1-1	-	-	-	-	-
A-1-2	2.0	-	-	-	-
A-1-3	2.0	-	2.0	-	-
A-2-1	2.0	-	-	-	-
A-2-2	-	-	-	2.0	-
A-2-3	2.0	-	-	2.0	-
A-3-1	2.0	2.0	-	2.0	-
A-3-2	2.0	2.0	-	2.0	2.0
A-3-3	2.0	2.0	2.0	-	-
A-4-1	-	2.0	-	-	-
A-4-2	-	-	-	-	-
A-4-3	-	2.0	-	-	2.0
B-1-1	2.0	2.0	-	-	2.0
B-1-2	2.0	-	-	2.0	-
B-1-3	-	2.0	-	-	2.0
B-2-1	2.0	2.0	2.0	2.0	-
B-2-2	2.0	2.0	-	2.0	2.0
B-2-3	2.0	2.0	2.0	2.0	2.0
B-3-1	2.0	-	-	-	2.0
B-3-2	-	-	-	2.0	-
B-3-3	-	2.0	-	-	2.0
B-4-1	-	-	-	2.0	-
B-4-2	-	-	-	2.0	-
B-4-3	-	2.0	-	2.0	-
C-1-1	-	-	-	-	-
C-1-2	-	-	-	-	-
C-1-3	2.0	-	-	2.0	-
C-2-1	2.0	2.0	2.0	2.0	2.0
C-2-2	2.0	2.0	2.0	2.0	2.0
C-2-3	2.0	2.0	2.0	2.0	2.0
C-3-1	-	2.0	-	-	-
C-3-2	2.0	2.0	-	-	-
C-3-3	-	2.0	2.0	2.0	-
C-4-1	-	2.0	-	-	-
C-4-2	-	-	2.0	-	-
C-4-3	-	2.0	-	-	2.0
D-1-1	-	-	2.0	-	-
D-1-2	2.0	-	-	-	2.0
D-1-3	-	2.0	-	2.0	-
D-2-1	-	2.0	-	-	-
D-2-2	2.0	-	-	2.0	-
D-2-3	2.0	2.0	-	-	2.0
D-3-1	2.0	2.0	-	-	-
D-3-2	2.0	2.0	-	-	-
D-3-3	2.0	2.0	-	2.0	-
D-4-1	2.0	-	-	-	2.0
D-4-2	2.0	-	2.0	-	-
D-4-3	2.0	2.0	2.0	2.0	2.0

備考:9/3はC-3-2及びD-1-2,D-2-2,D-2-3,D3-1,D-3-2,D-4-2の汲み出しを実施し、その他は9/4に実施
9/29はA-3-2及びB-1-1の汲み出しを実施し、その他は9/28に実施









	セシウム-134(Bq/L)		セシウム-137(Bq/L)		濃度 割合	採取 月日	測定 月日	排水 月日	排水量 m ³
	測定値	検出下限値	測定値	検出下限値					
浸出水A-1-1	ND	1	ND	1	0.028	8/26	8/31	9/3	2.0
浸出水A-1-1	ND	1	ND	1	0.028	9/29	9/30	次回	2.0
浸出水A-1-2	ND	1	ND	1	0.028	8/26	8/31	9/3	2.0
浸出水A-1-2	ND	1	ND	1	0.028	9/4	9/8	9/11	2.0
浸出水A-1-3	ND	1	ND	1	0.028	9/4	9/8	9/11	2.0
浸出水A-1-3	ND	1	ND	1	0.028	9/17	9/18	9/22	2.0
浸出水A-2-1	ND	1	ND	1	0.028	9/4	9/8	9/11	2.0
浸出水A-2-2	ND	1	ND	1	0.028	9/22	9/24	9/28	2.0
浸出水A-2-3	ND	1	ND	1	0.028	9/4	9/8	9/11	2.0
浸出水A-2-3	ND	1	ND	1	0.028	9/22	9/24	9/28	2.0
浸出水A-3-1	ND	1	ND	1	0.028	9/4	9/8	9/11	2.0
浸出水A-3-1	ND	1	ND	1	0.028	9/11	9/15	9/17	2.0
浸出水A-3-1	ND	1	ND	1	0.028	9/22	9/24	9/28	2.0
浸出水A-3-2	ND	1	ND	1	0.028	8/26	8/31	9/3	2.0
浸出水A-3-2	ND	1	ND	1	0.028	9/4	9/8	9/11	2.0
浸出水A-3-2	ND	1	ND	1	0.028	9/11	9/15	9/17	2.0
浸出水A-3-2	ND	1	ND	1	0.028	9/22	9/24	9/28	2.0
浸出水A-3-2	ND	1	ND	1	0.028	9/29	9/30	次回	2.0
浸出水A-3-3	ND	1	ND	1	0.028	9/4	9/9	9/11	2.0
浸出水A-3-3	ND	1	ND	1	0.028	9/11	9/15	9/17	2.0
浸出水A-3-3	ND	1	ND	1	0.028	9/17	9/18	9/22	2.0
浸出水A-4-1	ND	1	ND	1	0.028	9/11	9/15	9/17	2.0
浸出水A-4-2	ND	1	ND	1	0.028	9/29	9/30	-	-
浸出水A-4-3	ND	1	ND	1	0.028	8/26	8/31	9/3	2.0
浸出水A-4-3	ND	1	ND	1	0.028	9/11	9/15	9/17	2.0
浸出水A-4-3	ND	1	ND	1	0.028	9/28	9/29	次回	2.0
浸出水B-1-1	ND	1	ND	1	0.028	8/26	8/31	9/3	2.0
浸出水B-1-1	ND	1	ND	1	0.028	9/4	9/9	9/11	2.0
浸出水B-1-1	ND	1	ND	1	0.028	9/11	9/15	9/17	2.0
浸出水B-1-1	ND	1	ND	1	0.028	9/29	9/30	次回	2.0
浸出水B-1-2	ND	1	ND	1	0.028	9/4	9/9	9/11	2.0
浸出水B-1-2	ND	1	ND	1	0.028	9/22	9/24	9/28	2.0
浸出水B-1-3	ND	1	ND	1	0.028	8/26	8/31	9/3	2.0
浸出水B-1-3	ND	1	ND	1	0.028	9/11	9/15	9/17	2.0
浸出水B-1-3	ND	1	ND	1	0.028	9/28	9/30	次回	2.0
浸出水B-2-1	ND	1	ND	1	0.028	8/26	8/31	9/3	2.0
浸出水B-2-1	ND	1	ND	1	0.028	9/4	9/9	9/11	2.0
浸出水B-2-1	ND	1	ND	1	0.028	9/11	9/15	9/17	2.0
浸出水B-2-1	ND	1	ND	1	0.028	9/17	9/18	9/22	2.0
浸出水B-2-1	ND	1	ND	1	0.028	9/22	9/24	9/28	2.0
浸出水B-2-2	ND	1	ND	1	0.028	8/26	8/31	9/3	2.0
浸出水B-2-2	ND	1	ND	1	0.028	9/4	9/9	9/11	2.0
浸出水B-2-2	ND	1	ND	1	0.028	9/11	9/15	9/17	2.0
浸出水B-2-2	ND	1	ND	1	0.028	9/22	9/24	9/28	2.0
浸出水B-2-2	ND	1	ND	1	0.028	9/28	10/1	次回	2.0
浸出水B-2-3	ND	1	ND	1	0.028	8/26	8/31	9/3	2.0
浸出水B-2-3	ND	1	ND	1	0.028	9/4	9/9	9/11	2.0
浸出水B-2-3	ND	1	ND	1	0.028	9/11	9/15	9/17	2.0
浸出水B-2-3	ND	1	ND	1	0.028	9/17	9/18	9/22	2.0
浸出水B-2-3	ND	1	ND	1	0.028	9/22	9/24	9/28	2.0
浸出水B-2-3	ND	1	ND	1	0.028	9/28	9/29	次回	2.0
浸出水B-3-1	ND	1	ND	1	0.028	9/4	9/9	9/11	2.0
浸出水B-3-1	ND	1	ND	1	0.028	9/28	9/29	次回	2.0
浸出水B-3-2	ND	1	ND	1	0.028	8/26	8/31	9/3	2.0
浸出水B-3-2	ND	1	ND	1	0.028	9/22	9/24	9/28	2.0
浸出水B-3-3	ND	1	ND	1	0.028	8/26	8/31	9/3	2.0
浸出水B-3-3	ND	1	ND	1	0.028	9/11	9/15	9/17	2.0
浸出水B-3-3	ND	1	ND	1	0.028	9/28	9/29	次回	2.0
浸出水B-4-1	ND	1	ND	1	0.028	9/22	9/24	9/28	2.0
浸出水B-4-2	ND	1	ND	1	0.028	8/26	8/31	9/3	2.0
浸出水B-4-2	ND	1	ND	1	0.028	9/22	9/24	9/28	2.0
浸出水B-4-3	ND	1	ND	1	0.028	8/26	8/31	9/3	2.0
浸出水B-4-3	ND	1	ND	1	0.028	9/11	9/15	9/17	2.0
浸出水B-4-3	ND	1	ND	1	0.028	9/22	9/24	9/28	2.0
浸出水C-1-1	ND	1	ND	1	0.028	9/28	9/29	-	-
浸出水C-1-2	ND	1	ND	1	0.028	9/28	9/29	-	-
浸出水C-1-3	ND	1	ND	1	0.028	9/4	9/9	9/11	2.0
浸出水C-1-3	ND	1	ND	1	0.028	9/22	9/25	9/28	2.0

7. 放射性物質分析結果

	セシウム-134(Bq/L)		セシウム-137(Bq/L)		濃度 割合	採取 月日	測定 月日	排水 月日	排水量 m ³
	測定値	検出下限値	測定値	検出下限値					
浸出水C-2-1	ND	1	ND	1	0.028	8/26	8/28	9/3	2.0
浸出水C-2-1	ND	1	ND	1	0.028	9/4	9/9	9/11	2.0
浸出水C-2-1	ND	1	ND	1	0.028	9/11	9/15	9/17	2.0
浸出水C-2-1	ND	1	ND	1	0.028	9/17	9/18	9/22	2.0
浸出水C-2-1	ND	1	ND	1	0.028	9/22	9/25	9/28	2.0
浸出水C-2-1	ND	1	ND	1	0.028	9/25	9/25	9/28	2.0
浸出水C-2-1	ND	1	ND	1	0.028	9/28	9/29	次回	2.0
浸出水C-2-2	ND	1	ND	1	0.028	8/26	8/28	9/3	2.0
浸出水C-2-2	ND	1	ND	1	0.028	9/4	9/7	9/11	2.0
浸出水C-2-2	ND	1	ND	1	0.028	9/11	9/15	9/17	2.0
浸出水C-2-2	ND	1	ND	1	0.028	9/17	9/18	9/22	2.0
浸出水C-2-2	ND	1	ND	1	0.028	9/22	9/25	9/28	2.0
浸出水C-2-2	ND	1	ND	1	0.028	9/28	9/29	次回	2.0
浸出水C-2-3	ND	1	ND	1	0.028	8/26	8/28	9/3	2.0
浸出水C-2-3	ND	1	ND	1	0.028	9/4	9/9	9/11	2.0
浸出水C-2-3	ND	1	ND	1	0.028	9/11	9/15	9/17	2.0
浸出水C-2-3	ND	1	ND	1	0.028	9/17	9/18	9/22	2.0
浸出水C-2-3	ND	1	ND	1	0.028	9/22	9/25	9/28	2.0
浸出水C-2-3	ND	1	ND	1	0.028	9/28	9/29	次回	2.0
浸出水C-3-1	ND	1	ND	1	0.028	9/11	9/15	9/17	2.0
浸出水C-3-2	ND	1	ND	1	0.028	9/3	9/7	9/11	2.0
浸出水C-3-2	ND	1	ND	1	0.028	9/11	9/15	9/17	2.0
浸出水C-3-3	ND	1	ND	1	0.028	8/26	8/28	9/3	2.0
浸出水C-3-3	ND	1	ND	1	0.028	9/11	9/15	9/17	2.0
浸出水C-3-3	ND	1	ND	1	0.028	9/17	9/18	9/22	2.0
浸出水C-3-3	ND	1	ND	1	0.028	9/22	9/25	9/28	2.0
浸出水C-4-1	ND	1	ND	1	0.028	9/11	9/15	9/17	2.0
浸出水C-4-2	ND	1	ND	1	0.028	9/17	9/18	9/22	2.0
浸出水C-4-3	ND	1	ND	1	0.028	9/11	9/15	9/17	2.0
浸出水C-4-3	ND	1	ND	1	0.028	9/28	10/1	次回	2.0
浸出水D-1-1	ND	1	ND	1	0.028	8/26	8/31	9/3	2.0
浸出水D-1-1	ND	1	ND	1	0.028	9/17	9/18	9/22	2.0
浸出水D-1-2	ND	1	ND	1	0.028	9/3	9/7	9/11	2.0
浸出水D-1-2	ND	1	ND	1	0.028	9/28	10/1	次回	2.0
浸出水D-1-3	ND	1	ND	1	0.028	8/26	8/28	9/3	2.0
浸出水D-1-3	ND	1	ND	1	0.028	9/11	9/15	9/17	2.0
浸出水D-1-3	ND	1	ND	1	0.028	9/22	9/25	9/28	2.0
浸出水D-2-1	ND	1	ND	1	0.028	8/26	8/31	9/3	2.0
浸出水D-2-1	ND	1	ND	1	0.028	9/11	9/15	9/17	2.0
浸出水D-2-2	ND	1	ND	1	0.028	9/3	9/7	9/11	2.0
浸出水D-2-2	ND	1	ND	1	0.028	9/22	9/25	9/28	2.0
浸出水D-2-3	ND	1	ND	1	0.028	8/26	8/28	9/3	2.0
浸出水D-2-3	ND	1	ND	1	0.028	9/4	9/9	9/11	2.0
浸出水D-2-3	ND	1	ND	1	0.028	9/11	9/15	9/17	2.0
浸出水D-2-3	ND	1	ND	1	0.028	9/29	10/1	次回	2.0
浸出水D-3-1	ND	1	ND	1	0.028	9/3	9/7	9/11	2.0
浸出水D-3-1	ND	1	ND	1	0.028	9/11	9/15	9/17	2.0
浸出水D-3-2	ND	1	ND	1	0.028	9/3	9/8	9/11	2.0
浸出水D-3-2	ND	1	ND	1	0.028	9/11	9/15	9/17	2.0
浸出水D-3-3	ND	1	ND	1	0.028	8/26	8/28	9/3	2.0
浸出水D-3-3	ND	1	ND	1	0.028	9/4	9/9	9/11	2.0
浸出水D-3-3	ND	1	ND	1	0.028	9/11	9/15	9/17	2.0
浸出水D-3-3	ND	1	ND	1	0.028	9/22	9/25	9/28	2.0
浸出水D-4-1	ND	1	ND	1	0.028	8/26	8/31	9/3	2.0
浸出水D-4-1	ND	1	ND	1	0.028	9/4	9/9	9/11	2.0
浸出水D-4-1	ND	1	ND	1	0.028	9/28	10/1	次回	2.0
浸出水D-4-2	ND	1	ND	1	0.028	9/3	9/8	9/11	2.0
浸出水D-4-2	ND	1	ND	1	0.028	9/17	9/18	9/22	2.0
浸出水D-4-3	ND	1	ND	1	0.028	8/26	8/28	9/3	2.0
浸出水D-4-3	ND	1	ND	1	0.028	9/4	9/9	9/11	2.0
浸出水D-4-3	ND	1	ND	1	0.028	9/11	9/15	9/17	2.0
浸出水D-4-3	ND	1	ND	1	0.028	9/17	9/18	9/22	2.0
浸出水D-4-3	ND	1	ND	1	0.028	9/22	9/25	9/28	2.0
浸出水D-4-3	ND	1	ND	1	0.028	9/28	9/29	次回	2.0

