

仮置場等管理月次報告

【浪江町】

平成27年3月31日

仮置場名：酒田

仮置場所在地：浪江町大字酒田字南2丁目5 外


1. 点検結果

	3/4	3/10	3/11	3/18	3/25			適用
通常巡視	△	-	△	△	△	-	-	・シート上部の確認不可 ・A7内部温度と外気温の差が30℃以上
緊急点検	-	○	-	-	-	-	-	・3/10降水量が60mm/24hを超過したため点検実施

備考 全ての点検項目に異常がない場合：「○」、一つでも要注意項目がある場合：「△」、早期に改善を要する場合：「×」

2. 空間線量率 単位：μSv/h


	3/4	3/11	3/18	3/25
①	0.34	0.33	0.34	0.33
②	0.31	0.31	0.31	0.33
③	0.72	0.72	0.76	0.76
④	0.51	0.51	0.51	0.51
⑤内	0.57	0.56	0.55	0.58
⑥外	0.57	0.56	0.57	0.57




3. 除去物内部温度 単位：℃

		3/4	3/11	3/18	3/25
A1	①	15.8	16.4	16.3	15.9
	②	17.2	19.5	21.1	24.0
	③	14.3	14.7	17.2	16.3
	④	13.5	13.5	13.7	14.8
A2	①	30.6	30.1	30.4	31.2
	②	25.3	26.0	25.7	27.9
A3	①	31.5	31.5	31.9	32.6
	②	35.3	35.1	35.1	35.5
	③	21.8	22.1	21.9	22.3
	④	27.2	26.4	26.7	26.4
A4	①	24.1	24.3	24.0	24.2
	②	20.0	20.2	19.3	19.2
	③	27.1	28.1	27.0	27.6
	④	21.0	21.7	20.4	20.7
	⑤	20.8	22.4	22.1	22.5
A5	①	11.8	12.2	12.7	14.9
	②	23.2	24.8	23.3	24.9
	③	9.4	11.8	12.7	12.3
	④	10.1	10.9	11.1	11.5
	⑤	20.4	22.4	20.7	22.4
A7	①	20.4	19.7	19.6	17.9
	②	11.8	11.9	11.5	12.8
	③	35.3	33.1	31.5	27.9
	④	23.6	22.5	21.2	23.0
	⑤	6.3	7.8	9.5	9.3
外気 (A3)	5.1	6.6	13.6	8.1	


〔A1,A2,A3,外気〕



〔A4,A5〕



〔A7〕



4. 地下水(塩ビ孔口からの水位) 単位:m

	3/4	3/11	3/18	3/25
①	2.19	1.84	2.11	2.21
②	1.23	0.90	0.96	1.08

5. 浸出水







〔水深〕 単位：cm













	孔底	3/4	3/11	3/18	3/25
A1	208	15	15	15	15
A2	204	83	84	109	19
A3	209	38	56	76	23
A4	213	167	171	132	158
A5-1	209	39	55	81	24
A5-2	212	19	19	19	19
A6	205	39	33	75	18
A7-1	212	167	176	159	162
A7-2	207	155	119	161	8
A8	208	24	34	34	30
A9-1	207	28	29	18	18
A9-2	207	37	44	17	24
A10	207	16	27	34	42
A11-1	207	21	11	11	11
A11-2	207	20	20	20	25
B1-1	210	22	50	51	27
B1-2	205	24	47	119	9
B2-1	206	50	52	127	30
B2-2	211	19	20	20	21
B3-1	208	55	70	153	25
B3-2	200	12	14	15	15
B4-1	209	27	57	147	33
B4-2	212	20	20	20	20
B5-1	213	27	48	132	27
B5-2	207	19	25	33	35
B6-1	210	40	47	27	34
B6-2	209	17	17	17	17
B7-1	210	40	40	19	21
B7-2	205	17	17	17	17












〔汲み出し量〕 単位：m³

	3/4	3/11	3/18	3/25
A1	-	-	-	-
A2	1.1	-	1.4	-
A3	0.4	-	1.0	-
A4	-	2.3	-	2.1
A5-1	0.4	-	1.0	-
A5-2	-	-	-	-
A6	0.4	-	0.9	-
A7-1	-	2.4	-	2.2
A7-2	2.1	-	2.1	-
A8	-	-	0.4	-
A9-1	-	0.3	-	-
A9-2	-	0.5	-	-
A10	-	-	-	0.5
A11-1	0.2	-	-	-
A11-2	-	-	-	-
B1-1	-	-	0.6	-
B1-2	-	-	1.6	-
B2-1	0.6	-	1.7	-
B2-2	-	-	-	-
B3-1	0.7	-	2.0	-
B3-2	-	-	-	-
B4-1	-	-	1.9	-
B4-2	-	-	-	-
B5-1	-	-	1.7	-
B5-2	-	-	-	0.4
B6-1	-	0.5	-	-
B6-2	-	-	-	-
B7-1	-	0.4	-	-
B7-2	-	-	-	-

備考：排水量を示す。








6. 放射性物質分析結果

	セシウム-134 (Bq/L)		セシウム-137 (Bq/L)		濃度 割合	採取 月日	測定 月日	排水 月日	排水量 m ³
	測定値	検出下限値	測定値	検出下限値					
地下水①	ND	(0.86)	ND	(0.81)	—	3/4	3/5	—	—
地下水②	ND	(0.61)	ND	(0.67)	—	3/4	3/5	—	—
浸出水A1	水量が少なく測定不可					—	—	—	—
浸出水A2	ND	(1.2)	ND	(1.1)	0.032	2/25	2/26	3/4	1.1
浸出水A2	ND	(1.4)	ND	(1.2)	0.037	3/11	3/12	3/19	1.4
浸出水A3	ND	(1.0)	ND	(1.2)	0.030	2/25	2/26	3/4	0.4
浸出水A3	ND	(1.4)	ND	(1.2)	0.037	3/11	3/12	3/19	1.0
浸出水A4	ND	(1.5)	ND	(1.3)	0.039	3/4	3/5	3/11	2.3
浸出水A4	ND	(1.2)	ND	(1.3)	0.034	3/18	3/19	3/25	2.1
浸出水A5-1	ND	(1.3)	ND	(1.1)	0.034	2/25	2/26	3/4	0.4
浸出水A5-1	ND	(1.1)	ND	(1.0)	0.029	3/11	3/12	3/19	1.0
浸出水A5-2	水量が少なく測定不可					—	—	—	—
浸出水A6	ND	(1.4)	ND	(1.0)	0.034	2/25	2/26	3/4	0.4
浸出水A6	ND	(1.4)	ND	(1.5)	0.040	3/11	3/12	3/19	0.9
浸出水A7-1	ND	(1.2)	ND	(1.1)	0.032	3/4	3/5	3/11	2.4
浸出水A7-1	ND	(1.6)	ND	(1.4)	0.042	3/18	3/19	3/25	2.2
浸出水A7-2	ND	(1.2)	ND	(1.2)	0.033	2/25	2/26	3/4	2.1
浸出水A7-2	ND	(1.1)	ND	(1.2)	0.032	3/11	3/12	3/19	2.1
浸出水A8	ND	(1.0)	ND	(1.2)	0.030	3/11	3/12	3/19	0.4
浸出水A9-1	ND	(1.5)	ND	(0.88)	0.035	3/4	3/5	3/11	0.3
浸出水A9-2	ND	(0.76)	ND	(1.0)	0.024	3/4	3/5	3/11	0.5
浸出水A10	ND	(1.4)	ND	(1.8)	0.043	3/18	3/19	3/25	0.5
浸出水A11-1	ND	(1.1)	ND	(1.4)	0.034	2/25	2/26	3/4	0.2
浸出水A11-2	水量が少なく測定不可					—	—	—	—
浸出水B1-1	ND	(1.2)	ND	(1.3)	0.034	3/11	3/12	3/19	0.6
浸出水B1-2	ND	(1.4)	ND	(1.1)	0.036	3/11	3/12	3/19	1.6
浸出水B2-1	ND	(1.1)	ND	(1.0)	0.029	2/25	2/26	3/4	0.6
浸出水B2-1	ND	(0.84)	ND	(1.3)	0.028	3/11	3/12	3/19	1.7
浸出水B2-2	水量が少なく測定不可					—	—	—	—
浸出水B3-1	ND	(1.2)	ND	(1.0)	0.031	2/25	2/26	3/4	0.7
浸出水B3-1	ND	(0.98)	ND	(1.3)	0.031	3/11	3/12	3/19	2.0
浸出水B3-2	水量が少なく測定不可					—	—	—	—
浸出水B4-1	ND	(1.2)	ND	(1.1)	0.032	3/11	3/12	3/19	1.9
浸出水B4-2	水量が少なく測定不可					—	—	—	—
浸出水B5-1	ND	(0.76)	ND	(1.2)	0.026	3/11	3/12	3/19	1.7
浸出水B5-2	ND	(1.1)	ND	(1.4)	0.034	3/18	3/19	3/25	0.4
浸出水B6-1	ND	(1.1)	ND	(1.5)	0.035	3/4	3/5	3/11	0.5
浸出水B6-2	水量が少なく測定不可					—	—	—	—
浸出水B7-1	ND	(1.4)	ND	(1.7)	0.042	3/4	3/5	3/11	0.4
浸出水B7-2	水量が少なく測定不可					—	—	—	—



凡例	
① ~ ⑥	: 空間線量率
△A1 ~ △A5	: 温度
■A1 ~ ■B7	: 浸出水
◆1, ◆2	: 地下水

