

仮置場名:m547d006 酒田

仮置場所在地:浪江町大字酒田字南2丁目5~16


1. 点検結果

	8/3	8/11	8/17	8/25	適用		
通常巡視	△	△	△	△			
緊急点検	-	-	-	-			

備考 全ての点検項目に異常がない場合:「○」、一つでも要注意項目がある場合:「△」、早期に改善を要する場合:「×」




2. 空間線量率 単位: μ Sv/h

	8/3	8/11	8/17	8/25
①	0.39	0.38	0.38	0.31
②	0.35	0.37	0.32	0.34
③	0.76	0.83	0.78	0.77
④	0.61	0.63	0.60	0.63
⑤内	0.48	0.49	0.50	0.47
⑥外	0.45	0.46	0.44	0.44



3. 除去物内部温度 単位: $^{\circ}$ C

	8/3	8/11	8/17	8/25	
A1	①	41.2	41.4	40.4	39.8
	②	48.8	46.6	44.7	42.5
	③	46.9	47.3	45.4	43.9
	④	40.4	41.5	40.2	38.1
A2	①	49.1	49.9	46.2	41.8
	②	37.3	38.1	37.9	38.0
A3	①	42.2	42.5	41.9	38.9
	②	44.7	45.5	45.7	45.0
	③	44.5	45.9	45.5	45.0
	④	47.0	47.9	46.0	44.6
外気	28.1	30.0	24.2	20.4	
A4	①	48.1	49.0	48.0	46.9
	②	44.7	44.8	43.7	42.4
	③	41.9	42.5	41.0	39.5
	④	41.1	42.7	40.2	39.0
	⑤	45.2	46.6	45.9	45.5
A5	①	45.0	46.5	45.6	44.0
	②	43.7	44.8	43.9	43.1
	③	46.6	48.5	47.5	46.1
	④	46.5	49.0	47.1	46.0
	⑤	42.4	43.5	43.5	41.8
A7	①	42.3	43.1	42.9	40.7
	②	48.1	49.6	49.2	49.0
	③	48.1	48.9	48.7	45.4
	④	36.0	37.8	38.4	38.2
	⑤	40.0	38.8	35.3	31.0



4. 除去物一酸化炭素(CO)濃度 単位: ppm

	8/3	8/11	8/17	8/25
可燃	-	-	-	-

備考: 上部シートに登れないため確認できず

[メタン濃度] 単位: %

地点	8/3	8/11	8/17	8/25
可燃	-	-	-	-

5. 地下水(塩ビ孔口からの水位) 単位: m

	8/3	8/11	8/17	8/25
地下水①	2.32	2.38	2.38	2.35
地下水②	1.26	1.35	1.38	1.38

6. 浸出水













[水深] 単位:cm













	孔底	8/3	8/11	8/17	8/25	
A1	208	67	97	62	80	
A2	204	155	153	73	155	
A3	209	153	146	63	150	
A4	213	165	165	166	167	
A5-1	209	102	115	102	104	
A5-2	212	18	18	18	18	
A6	205	30	65	98	157	
A7-1	212	113	107	69	148	
A7-2	207	12	12	12	12	
A8	208	90	44	78	146	
A9-1	207	76	105	24	51	
A9-2	207	31	58	83	153	
A10	207	56	140	52	141	
A11-1	207	58	67	74	75	
A11-2	207	13	14	14	13	
B1-1	210	136	58	106	108	
B1-2	205	40	40	41	45	
B2-1	206	98	101	130	129	
B2-2	211	60	60	76	94	
B3-1	208	134	140	135	143	
B3-2	200	18	18	18	17	
B4-1	209	155	157	157	162	
B4-2	212	20	34	91	158	
B5-1	213	110	50	85	155	
B5-2	207	29	51	68	104	
B6-1	210	108	146	147	151	
B6-2	209	63	63	63	66	
B7-1	210	54	150	63	150	
B7-2	205	41	41	41	55	






[汲み出し量] 単位:m³

	8/3,8/4,8/5	8/11,8/12,8/13	8/17,8/18,8/19	8/25,8/26,8/27	
A1	-	1.1	-	-	
A2	2.2	2.2	-	2.2	
A3	3.3	2.1	-	2.2	
A4	4.4	3.3	4.4	2.2	
A5-1	1.1	1.1	1.1	1.1	
A5-2	-	-	-	-	
A6	-	-	-	2.2	
A7-1	2.5	2.2	-	1.1	
A7-2	-	-	-	-	
A8	1.9	-	-	2.2	
A9-1	-	2.0	-	-	
A9-2	-	-	-	2.2	
A10	-	2.2	-	2.2	
A11-1	-	-	-	-	
A11-2	-	-	-	-	
B1-1	2.0	-	1.1	1.1	
B1-2	-	-	-	-	
B2-1	2.0	-	2.2	2.2	
B2-2	-	-	-	-	
B3-1	2.0	3.0	2.6	2.2	
B3-2	-	-	-	-	
B4-1	2.0	3.3	3.3	2.2	
B4-2	-	-	-	1.1	
B5-1	2.1	-	-	2.2	
B5-2	-	-	-	-	
B6-1	2.5	2.5	2.4	2.2	
B6-2	-	-	-	-	
B7-1	-	2.1	-	2.1	
B7-2	-	-	-	-	

備考:8/3はA2及びA3,A5-1の汲み出しを実施し、8/4はB1-1及びB2-1,B3-1,B4-1の汲み出しを実施し、その他は8/5に実施
 8/11はB3-1及びB4-1,B6-1,B7-1の汲み出しを実施し、8/12はA2及びA3,A4,A5-1,A7-1の汲み出しを実施し、その他は8/13に実施
 8/17はB3-1及びB4-1,B6-1の汲み出しを実施し、8/18はB1-1及びB2-1実施し、その他は8/19に実施
 8/25はB1-1及びB2-1,B3-1,B4-1,B4-2,B5-1,B6-1,B7-1の汲み出しを実施し、8/26はA2及びA3,A4,A6,A7-1に実施し、8/27はA5-1及びA5-2,A7-2,A8,A9-2,A10,A11-1,A11-2の汲み出しを実施し、その他は8/28に実施








7. 放射性物質分析結果

	セシウム-134(Bq/L)		セシウム-137(Bq/L)		濃度 割合	採取 月日	測定 月日	排水 月日	排水量 m ³
	測定値	検出下限値	測定値	検出下限値					
地下水①	ND	1	ND	1	0.028	8/3	8/6	-	-
地下水②	ND	1	ND	1	0.028	8/3	8/6	-	-
浸出水A1	ND	1	ND	1	0.028	7/29	7/31	8/3	1.1
浸出水A1	ND	1	ND	1	0.028	8/13	8/16	8/17	1.1
浸出水A2	ND	1	ND	1	0.028	8/3	8/6	8/11	2.2
浸出水A2	ND	1	ND	1	0.028	8/12	8/16	8/17	2.2
浸出水A2	ND	1	ND	1	0.028	8/26	8/28	次回	2.2
浸出水A3	ND	1	ND	1	0.028	7/29	7/31	8/3	2.2
浸出水A3	ND	1	ND	1	0.028	8/3	8/5	8/11	3.3
浸出水A3	ND	1	ND	1	0.028	8/12	8/16	8/17	2.1
浸出水A3	ND	1	ND	1	0.028	8/26	8/28	次回	2.2
浸出水A4	ND	1	ND	1	0.028	7/29	7/31	8/3	2.2
浸出水A4	ND	1	ND	1	0.028	8/5	8/7	8/11	4.4
浸出水A4	ND	1	ND	1	0.028	8/12	8/16	8/17	3.3
浸出水A4	ND	1	ND	1	0.028	8/19	8/21	8/25	4.4
浸出水A4	ND	1	ND	1	0.028	8/26	8/28	次回	2.2
浸出水A5-1	ND	1	ND	1	0.028	7/30	8/3	8/3	1.1
浸出水A5-1	ND	1	ND	1	0.028	8/3	8/5	8/11	1.1
浸出水A5-1	ND	1	ND	1	0.028	8/12	8/16	8/17	1.1
浸出水A5-1	ND	1	ND	1	0.028	8/19	8/21	8/25	1.1
浸出水A5-1	ND	1	ND	1	0.028	8/27	8/31	次回	1.1
浸出水A5-2	ND	1	ND	1	0.028	8/27	8/31	-	-
浸出水A6	ND	1	ND	1	0.028	7/30	8/3	8/3	2.0
浸出水A6	ND	1	ND	1	0.028	8/26	8/28	次回	2.2
浸出水A7-1	ND	1	ND	1	0.028	7/29	7/31	8/3	2.2
浸出水A7-1	ND	1	ND	1	0.028	8/5	8/7	8/11	2.5
浸出水A7-1	ND	1	ND	1	0.028	8/12	8/16	8/17	2.2
浸出水A7-1	ND	1	ND	1	0.028	8/26	8/28	次回	1.1
浸出水A7-2	ND	1	ND	1	0.028	8/27	8/31	-	-
浸出水A8	ND	1	ND	1	0.028	8/5	8/7	8/11	1.9
浸出水A8	ND	1	ND	1	0.028	8/27	8/31	次回	2.2
浸出水A9-1	ND	1	ND	1	0.028	8/13	8/16	8/17	2.0
浸出水A9-2	ND	1	ND	1	0.028	7/29	7/31	8/3	2.2
浸出水A9-2	ND	1	ND	1	0.028	8/27	8/31	次回	2.2
浸出水A10	ND	1	ND	1	0.028	7/29	7/31	8/3	2.2
浸出水A10	ND	1	ND	1	0.028	8/13	8/16	8/17	2.2
浸出水A10	ND	1	ND	1	0.028	8/27	8/31	次回	2.2
浸出水A11-1	ND	1	ND	1	0.028	8/27	8/31	-	-
浸出水A11-2	ND	1	ND	1	0.028	8/27	8/31	-	-
浸出水B1-1	ND	1	ND	1	0.028	8/4	8/6	8/11	2.0
浸出水B1-1	ND	1	ND	1	0.028	8/18	8/20	8/25	1.1
浸出水B1-1	ND	1	ND	1	0.028	8/25	8/27	次回	1.1
浸出水B1-2	ND	1	ND	1	0.028	7/28	7/30	8/3	1.1
浸出水B1-2	ND	1	ND	1	0.028	8/28	9/1	-	-
浸出水B2-1	ND	1	ND	1	0.028	7/28	7/30	8/3	2.2
浸出水B2-1	ND	1	ND	1	0.028	8/4	8/6	8/11	2.0
浸出水B2-1	ND	1	ND	1	0.028	8/18	8/20	8/25	2.2
浸出水B2-1	ND	1	ND	1	0.028	8/25	8/27	次回	2.2
浸出水B2-2	ND	1	ND	1	0.028	8/28	9/1	-	-
浸出水B3-1	ND	1	ND	1	0.028	7/28	7/30	8/3	2.2
浸出水B3-1	ND	1	ND	1	0.028	8/4	8/6	8/11	2.0
浸出水B3-1	ND	1	ND	1	0.028	8/11	8/12	8/17	3.0
浸出水B3-1	ND	1	ND	1	0.028	8/17	8/19	8/25	2.6
浸出水B3-1	ND	1	ND	1	0.028	8/25	8/27	次回	2.2
浸出水B3-2	ND	1	ND	1	0.028	8/28	9/1	-	-
浸出水B4-1	ND	1	ND	1	0.028	7/28	7/30	8/3	2.2
浸出水B4-1	ND	1	ND	1	0.028	8/4	8/7	8/11	2.0
浸出水B4-1	ND	1	ND	1	0.028	8/11	8/12	8/17	3.3
浸出水B4-1	ND	1	ND	1	0.028	8/17	8/19	8/25	3.3
浸出水B4-1	ND	1	ND	1	0.028	8/25	8/27	次回	2.2
浸出水B4-2	ND	1	ND	1	0.028	8/25	8/27	次回	1.1
浸出水B5-1	ND	1	ND	1	0.028	8/5	8/7	8/11	2.1
浸出水B5-1	ND	1	ND	1	0.028	8/25	8/27	次回	2.2
浸出水B5-2	ND	1	ND	1	0.028	7/28	7/30	8/3	1.8
浸出水B5-2	ND	1	ND	1	0.028	8/28	9/1	-	-
浸出水B6-1	ND	1	ND	1	0.028	7/28	7/30	8/3	2.2
浸出水B6-1	ND	1	ND	1	0.028	8/5	8/7	8/11	2.5
浸出水B6-1	ND	1	ND	1	0.028	8/11	8/12	8/17	2.5
浸出水B6-1	ND	1	ND	1	0.028	8/17	8/20	8/25	2.4
浸出水B6-1	ND	1	ND	1	0.028	8/25	8/27	次回	2.2
浸出水B6-2	ND	1	ND	1	0.028	8/28	9/1	-	-
浸出水B7-1	ND	1	ND	1	0.028	7/28	7/30	8/3	1.9
浸出水B7-1	ND	1	ND	1	0.028	8/11	8/12	8/17	2.1
浸出水B7-1	ND	1	ND	1	0.028	8/25	8/27	次回	2.1
浸出水B7-2	ND	1	ND	1	0.028	8/28	9/1	-	-



凡例	
①~⑥	:空間線量率
△~△	:温度
A1~B7	:浸出水
◇, ◇	:地下水



凡例	
①~⑥	:空間線量率
△~△	:温度
A1~B7	:浸出水
◇, ◇	:地下水