

【浪江町】

仮置場名:m547d006 酒田

仮置場所在地:浪江町大字酒田字南2丁目5~16


1. 点検結果

	9/1	9/7	9/8	9/10	9/11	9/14	9/18	9/23	9/28	適用
通常巡視	△	-	△	-	-	△	-	△	△	9/7,10,11,18豪雨時による点検
緊急点検	-	△	-	△	△	-	△	-	-	

備考 全ての点検項目に異常がない場合:「○」、一つでも要注意項目がある場合:「△」、早期に改善を要する場合:「×」




2. 空間線量率 単位: $\mu\text{Sv/h}$

	9/1	9/7	9/8	9/14	9/23	9/28
①	0.30	0.35	0.34	0.34	0.36	0.39
②	0.34	0.30	0.33	0.33	0.32	0.33
③	0.75	0.77	0.76	0.77	0.75	0.75
④	0.62	0.58	0.63	0.60	0.62	0.62
⑤内	0.45	0.41	0.48	0.45	0.44	0.44
⑥外	0.42	0.43	0.40	0.41	0.42	0.42



3. 除去物内部温度 単位: $^{\circ}\text{C}$

		9/1	9/8	9/14	9/23	9/28
A1	①	39.1	38.2	38.4	38.2	37.5
	②	39.8	40.8	39.6	38.8	37.3
	③	41.7	40.5	40.5	40.1	39.6
	④	35.5	34.4	33.6	32.7	31.7
A2	①	38.8	38.0	38.5	38.0	36.7
	②	36.9	36.7	36.0	35.1	34.7
A3	①	40.3	36.3	37.8	36.3	35.7
	②	44.2	42.9	42.1	41.1	40.7
	③	42.7	42.2	40.5	40.0	39.5
	④	44.7	41.5	40.2	40.6	40.8
	外気	24.0	18.9	23.5	23.9	25.9
A4	①	45.7	46.5	45.2	43.8	44.2
	②	40.7	39.1	40.1	39.9	39.1
	③	37.9	37.3	38.1	37.3	36.7
	④	37.7	37.1	37.2	37.3	36.0
	⑤	44.2	44.0	43.8	43.3	42.8
A5	①	40.7	40.2	38.4	36.7	36.6
	②	41.5	41.2	40.1	39.9	39.8
	③	44.5	44.0	43.6	44.0	44.0
	④	44.3	43.5	43.2	42.7	41.7
	⑤	40.7	40.0	40.4	40.7	40.2
A7	①	40.9	37.7	37.6	37.4	37.0
	②	47.5	47.2	46.4	46.5	46.0
	③	47.7	43.9	45.9	46.3	46.0
	④	38.0	36.9	37.1	36.6	35.9
	⑤	29.7	28.6	30.4	29.6	28.8



4. 除去物一酸化炭素(CO)濃度 単位: ppm

	9/1	9/8	9/14	9/23	9/28
可燃	-	-	-	-	-

備考: 上部シートに登れないため確認できず

5. 地下水(塩ビ孔口からの水位) 単位: m

	9/1	9/8	9/14	9/23	9/28
地下水①	1.92	1.85	1.56	1.75	1.78
地下水②	1.01	0.86	0.25	0.59	0.72

[メタン濃度] 単位: %

地点	9/1	9/8	9/14	9/23	9/28
可燃	-	-	-	-	-

6. 浸出水













〔水深〕 単位:cm













	孔底	9/1	9/8	9/14	9/23	9/28
A1	208	91	106	56	68	76
A2	204	154	88	47	155	47
A3	209	166	169	165	188	183
A4	213	169	170	169	169	167
A5-1	209	116	134	132	122	91
A5-2	212	20	22	29	30	30
A6	205	50	80	156	43	59
A7-1	212	153	155	151	155	151
A7-2	207	12	14	43	47	48
A8	208	43	71	96	146	23
A9-1	207	86	151	17	44	53
A9-2	207	54	87	153	46	60
A10	207	52	96	142	67	90
A11-1	207	75	76	84	84	84
A11-2	207	14	14	14	14	14
B1-1	210	94	135	136	99	62
B1-2	205	64	74	124	60	61
B2-1	206	124	97	103	130	81
B2-2	211	107	114	60	76	84
B3-1	208	147	147	148	145	42
B3-2	200	155	155	156	55	65
B4-1	209	165	164	165	164	87
B4-2	212	162	161	161	161	92
B5-1	213	74	155	99	53	76
B5-2	207	152	26	52	71	83
B6-1	210	150	74	150	149	68
B6-2	209	66	98	7	9	11
B7-1	210	72	150	52	118	41
B7-2	205	56	67	76	76	28






〔汲み出し量〕 単位:m³

	9/1,9/3,9/4	9/8,9/9,9/12	9/14,9/15,9/17	9/23,9/24,9/25,9/28	9/28,9/29,9/30
A1	-	1.1	-	-	-
A2	2.2	2.2	-	2.1	-
A3	3.3	2.2	5.5,5.5	5.5,3.3	5.5,5.5
A4	4.4	4.4	2.2,5.5	4.4,4.4	5.5,4.4
A5-1	1.1	1.1	1.1	1.1,1.1	1.1
A5-2	-	-	-	-	-
A6	-	-	2.2	-	-
A7-1	2.2	3.3	2.2	2.2	2.2
A7-2	-	-	-	-	-
A8	-	-	-	2.2	-
A9-1	-	2.2	-	-	-
A9-2	-	-	2.2	-	-
A10	-	-	2.2	-	1.7
A11-1	-	-	-	-	1.6
A11-2	-	-	-	-	-
B1-1	-	1.1	1.1	1.1	1.1
B1-2	-	-	1.1	-	-
B2-1	2.2	1.1	-	2.2	1.7
B2-2	-	1.1	-	-	1.4
B3-1	2.2	2.2	2.2	2.2,2.2	-
B3-2	1.1	1.1	2.1	-	-
B4-1	2.2	1.1	2.2	2.2,3.9	2.0
B4-2	1.1	1.1	2.2	2.2	1.6
B5-1	-	2.2	1.8	-	1.4
B5-2	2.2	-	-	-	1.7
B6-1	2.8	-	2.2	2.2	-
B6-2	-	1.9	-	-	-
B7-1	-	2.2	-	1.9	-
B7-2	-	-	-	1.1	-

備考:9/1はB2-1及びB3-1,B3-2,B4-1,B4-2の汲み出しを実施し、
 9/3はA2及びA3,A4,A5-1,A7-1の汲み出しを実施し、その他は9/4に実施
 9/8はB1-1及びB2-1,B2-2,B3-1,B3-2,B4-1,B4-2の汲み出しを実施し、9/9はB5-1及びB6-2,B7-1の汲み出しを実施し、その他は9/12に実施
 9/17はA3及びA4の汲み出しを実施し、9/15はA3及びA4,A5-1,A6,A7-1,A9-2,A10実施し、その他は9/14に実施
 9/23はA3及びA4,A5-1,A7-1の汲み出しを実施し、9/24はB1-1及びB1-2,B3-1,B4-1,B4-2,B6-1,B7-1,B7-2に実施し、9/25はA2及びA3,A4,A5-1,A8の汲み出しを実施し、その他は9/26に実施
 9/30はA3及びA4,B5-2の汲み出しを実施し、9/28はA3及びA4,A5-1,A7-1,A10,A11-1に実施し、その他は9/29に実施







7. 放射性物質分析結果

	セシウム-134(Bq/L)		セシウム-137(Bq/L)		濃度 割合	採取 月日	測定 月日	排水 月日	排水量 m ³
	測定値	検出下限値	測定値	検出下限値					
地下水①	ND	1	ND	1	0.028	9/4	9/9	-	-
地下水②	ND	1	ND	1	0.028	9/4	9/9	-	-
浸出水A1	ND	1	ND	1	0.028	9/12	9/14	9/14	1.1
浸出水A2	ND	1	ND	1	0.028	8/26	8/28	9/1	2.2
浸出水A2	ND	1	ND	1	0.028	9/3	9/8	9/8	2.2
浸出水A2	ND	1	ND	1	0.028	9/12	9/14	9/14	2.2
浸出水A2	ND	1	ND	1	0.028	9/25	9/26	9/28	2.1
浸出水A3	ND	1	ND	1	0.028	8/26	8/28	9/1	2.2
浸出水A3	ND	1	ND	1	0.028	9/3	9/8	9/8	3.3
浸出水A3	ND	1	ND	1	0.028	9/12	9/14	9/14	2.2
浸出水A3	ND	1	ND	1	0.028	9/15	9/17	9/17	5.5
浸出水A3	ND	1	ND	1	0.028	9/17	9/22	9/23	5.5
浸出水A3	ND	1	ND	1	0.028	9/23	9/24	9/25	5.5
浸出水A3	ND	1	ND	1	0.028	9/25	9/26	9/28	3.3
浸出水A3	ND	1	ND	1	0.028	9/28	9/29	9/30	5.5
浸出水A3	ND	1	ND	1	0.028	9/30	10/2	次回	5.5
浸出水A4	ND	1	ND	1	0.028	8/26	8/28	9/1	2.2
浸出水A4	ND	1	ND	1	0.028	9/3	9/8	9/8	4.4
浸出水A4	ND	1	ND	1	0.028	9/12	9/14	9/14	4.4
浸出水A4	ND	1	ND	1	0.028	9/15	9/17	9/17	2.2
浸出水A4	ND	1	ND	1	0.028	9/17	9/22	9/23	5.5
浸出水A4	ND	1	ND	1	0.028	9/23	9/24	9/25	4.4
浸出水A4	ND	1	ND	1	0.028	9/25	9/26	9/28	4.4
浸出水A4	ND	1	ND	1	0.028	9/28	9/29	9/30	5.5
浸出水A4	ND	1	ND	1	0.028	9/30	10/2	次回	4.4
浸出水A4	ND	1	ND	1	0.028	9/30	10/2	次回	4.4
浸出水A5-1	ND	1	ND	1	0.028	8/27	8/31	9/1	1.1
浸出水A5-1	ND	1	ND	1	0.028	9/3	9/8	9/8	1.1
浸出水A5-1	ND	1	ND	1	0.028	9/12	9/14	9/14	1.1
浸出水A5-1	ND	1	ND	1	0.028	9/15	9/17	9/23	1.1
浸出水A5-1	ND	1	ND	1	0.028	9/23	9/24	9/25	1.1
浸出水A5-1	ND	1	ND	1	0.028	9/25	9/26	9/28	1.1
浸出水A5-1	ND	1	ND	1	0.028	9/28	9/29	次回	1.1
浸出水A5-2	ND	1	ND	1	0.028	9/29	9/30	-	-
浸出水A6	ND	1	ND	1	0.028	8/26	8/28	9/1	2.2
浸出水A6	ND	1	ND	1	0.028	9/15	9/17	9/23	2.2
浸出水A7-1	ND	1	ND	1	0.028	8/26	9/28	9/1	1.1
浸出水A7-1	ND	1	ND	1	0.028	9/3	9/8	9/8	2.2
浸出水A7-1	ND	1	ND	1	0.028	9/12	9/14	9/14	3.3
浸出水A7-1	ND	1	ND	1	0.028	9/15	9/17	9/23	2.2
浸出水A7-1	ND	1	ND	1	0.028	9/23	9/24	9/28	2.2
浸出水A7-1	ND	1	ND	1	0.028	9/28	9/29	次回	2.2
浸出水A7-2	ND	1	ND	1	0.028	9/29	9/30	-	-
浸出水A8	ND	1	ND	1	0.028	8/27	9/31	9/1	2.2
浸出水A8	ND	1	ND	1	0.028	9/25	9/26	9/28	2.2
浸出水A9-1	ND	1	ND	1	0.028	9/12	9/14	9/14	2.2
浸出水A9-2	ND	1	ND	1	0.028	8/27	8/31	9/1	2.2
浸出水A9-2	ND	1	ND	1	0.028	9/15	9/17	9/23	2.2
浸出水A10	ND	1	ND	1	0.028	8/27	8/31	9/1	2.2
浸出水A10	ND	1	ND	1	0.028	9/15	9/17	9/23	2.2
浸出水A10	ND	1	ND	1	0.028	9/28	9/29	次回	1.7
浸出水A11-1	ND	1	ND	1	0.028	9/28	9/29	次回	1.6
浸出水A11-2	ND	1	ND	1	0.028	9/29	9/30	-	-
浸出水B1-1	ND	1	ND	1	0.028	8/25	8/27	9/1	1.1
浸出水B1-1	ND	1	ND	1	0.028	9/8	9/11	9/14	1.1
浸出水B1-1	ND	1	ND	1	0.028	9/14	9/16	9/23	1.1
浸出水B1-1	ND	1	ND	1	0.028	9/24	9/25	9/28	1.1
浸出水B1-1	ND	1	ND	1	0.028	9/29	9/30	次回	1.1
浸出水B1-2	ND	1	ND	1	0.028	9/14	9/16	9/23	1.1
浸出水B2-1	ND	1	ND	1	0.028	8/25	8/27	9/1	2.2
浸出水B2-1	ND	1	ND	1	0.028	9/1	9/3	9/8	2.2
浸出水B2-1	ND	1	ND	1	0.028	9/8	9/11	9/14	1.1
浸出水B2-1	ND	1	ND	1	0.028	9/24	9/25	9/28	2.2
浸出水B2-1	ND	1	ND	1	0.028	9/29	9/30	次回	1.7
浸出水B2-2	ND	1	ND	1	0.028	9/8	9/11	9/14	1.1
浸出水B2-2	ND	1	ND	1	0.028	9/29	9/30	次回	1.4
浸出水B3-1	ND	1	ND	1	0.028	8/25	8/27	9/1	2.2
浸出水B3-1	ND	1	ND	1	0.028	9/1	9/3	9/8	2.2
浸出水B3-1	ND	1	ND	1	0.028	9/8	9/11	9/14	2.2
浸出水B3-1	ND	1	ND	1	0.028	9/14	9/16	9/23	2.2
浸出水B3-1	ND	1	ND	1	0.028	9/24	9/25	9/26	2.2
浸出水B3-1	ND	1	ND	1	0.028	9/26	9/28	9/28	2.2
浸出水B3-2	ND	1	ND	1	0.028	9/1	9/3	9/8	1.1
浸出水B3-2	ND	1	ND	1	0.028	9/8	9/11	9/14	1.1
浸出水B3-2	ND	1	ND	1	0.028	9/14	9/16	9/23	2.1

7. 放射性物質分析結果

	セシウム-134 (Bq/L)		セシウム-137 (Bq/L)		濃度割合	採取月日	測定月日	排水月日	排水量 m ³
	測定値	検出下限値	測定値	検出下限値					
浸出水B4-1	ND	1	ND	1	0.028	8/25	8/27	9/1	2.2
浸出水B4-1	ND	1	ND	1	0.028	9/1	9/3	9/8	2.2
浸出水B4-1	ND	1	ND	1	0.028	9/8	9/11	9/14	1.1
浸出水B4-1	ND	1	ND	1	0.028	9/14	9/16	9/23	2.2
浸出水B4-1	ND	1	ND	1	0.028	9/24	9/25	9/26	2.2
浸出水B4-1	ND	1	ND	1	0.028	9/26	9/28	9/28	3.9
浸出水B4-1	ND	1	ND	1	0.028	9/29	9/30	次回	2.0
浸出水B4-2	ND	1	ND	1	0.028	8/25	8/27	9/1	1.1
浸出水B4-2	ND	1	ND	1	0.028	9/1	9/3	9/8	1.1
浸出水B4-2	ND	1	ND	1	0.028	9/8	9/11	9/14	1.1
浸出水B4-2	ND	1	ND	1	0.028	9/14	9/17	9/23	2.2
浸出水B4-2	ND	1	ND	1	0.028	9/24	9/25	9/28	2.2
浸出水B4-2	ND	1	ND	1	0.028	9/29	9/30	次回	1.6
浸出水B5-1	ND	1	ND	1	0.028	8/25	8/27	9/1	2.2
浸出水B5-1	ND	1	ND	1	0.028	9/9	9/11	9/14	2.2
浸出水B5-1	ND	1	ND	1	0.028	9/14	9/17	9/23	1.8
浸出水B5-1	ND	1	ND	1	0.028	9/29	9/30	次回	1.4
浸出水B5-2	ND	1	ND	1	0.028	9/4	9/9	9/8	2.2
浸出水B5-2	ND	1	ND	1	0.028	9/30	10/2	次回	1.7
浸出水B6-1	ND	1	ND	1	0.028	8/25	8/27	9/1	2.2
浸出水B6-1	ND	1	ND	1	0.028	9/4	9/9	9/8	2.8
浸出水B6-1	ND	1	ND	1	0.028	9/14	9/17	9/23	2.2
浸出水B6-1	ND	1	ND	1	0.028	9/24	9/25	9/28	2.2
浸出水B6-2	ND	1	ND	1	0.028	9/9	9/11	9/14	1.9
浸出水B7-1	ND	1	ND	1	0.028	8/25	8/27	9/1	2.1
浸出水B7-1	ND	1	ND	1	0.028	9/9	9/11	9/14	2.2
浸出水B7-1	ND	1	ND	1	0.028	9/24	9/25	9/28	1.9
浸出水B7-2	ND	1	ND	1	0.028	9/24	9/25	9/28	1.1

